http://k12engagement.unl.edu/study-crisis-intervention-training-programs

A Consumer's Guide to Crisis Intervention Training Programs

CEC 2016



Elisabeth Kane Reece L. Peterson, University of Nebraska-Lincoln James Hogan University of Washington Joseph B. Ryan, Clemson University Michael A. Couvillon, Drake University Brenda Scheuermann Texas State University

Illustration by Ward Zwart

Goal of this presentation-

To be able to compare and contrast available crisis training programs in order to better enable administrators and educators to select a crisis intervention program that best meets their specific needs.



Slide & resources available: http://k12engagement.unl.edu/study-crisis-intervention-training-programs

Definitions

3 Types of Restraint Procedures

Mechanical Restraint	Use of any device (tape, tie downs) to limit an individual's body movement.	Limited use in schools; with a few exceptions, not permitted.
Chemical Restraint	Use of medication to control behavior or restrict a patient's freedom of movement	Not used by schools; however many students may be on medication in schools.
Physical Restraint	Use of one or more people using their bodies to restrict another's movement.	Can be used given certain criteria are met.

3 Types of Timeout-Only one of these is Seclusion

Inclusion Timeout

inside the classroom

Exclusion Timeout

Outside the classroom

Seclusion

Involuntary confinement of a student alone in a room or area from which the student is physically prevented from leaving³

Types of Restraint Procedures

- Supine restraints
- Prone restraints
- Basket hold restraints
- Physical escorts







U.S. Department of **Education**, **Office for Civil Rights**, Data **Collection**, 2011-12

- Over 70,000 students subjected to physical restraint
- Over 37,000 students subject to seclusion.
- Nevada (96%), Florida (95%), and Wyoming (93%) reported the highest percentages of physically restrained students with disabilities.
- Nearly 4,000 IDEA students subject to mechanical restraint



Of students subjected to restraint, 75% were students with a disability.

Office of Civil Rights 2014 Report

U.S. Department of Education, Office for Civil Rights, Civil Rights Data Collection, 2011-12

Of students subjected to seclusion **58% were** students with a disability

Office of Civil Rights 2014 Report



U.S. Department of Education, Office for Civil Rights, Civil Rights Data Collection, 2011-12.

Boy's parents seek ban on restraining children



ASSOCIATED PRESS

and and the second s

Tanner Wilson, of Mason City, is shown in this undeted photo. Wilson, who had autism, died Feb. 9, 2001, at Gerard Treatment Center of Iowa in Mason City, where he was sent when "his anxiety and appression got the best of him," said his mother, Karen Wilson. Workers allegedly were holding Tanner face down on the floor in what they described as a "routine physical holding" when he stopped breathing.

Mason City child died when treatment center workers allegedly held boy face down on the floor

BY MELANIE S. WELTE Associated Press

DES MOINES --- The parents of an 11-year-old boy who died while in residential care in northern Iowa want laws to ban workers from using prone restraints on chilwith mental disabilities.

The technique involves putting dren. a child on his or her stomach and applying physical pressure to immobilize the individual. Critics say it can impede the child's ability to breathe and exacerbate existing problems that could put the

Systems, said it's difficult to track Tanner Wilson, who had child at risk. Gerard Treatment Center of how often restmints are used on lowa, where he was sent when "his anxiety and aggression got the best of him," said his mother,

unfortunately, of what's happening around the country. In the name of treating him Workers allegetly were holding Tanner face down on the floor and restraining him, they killed him." in what they described as a "routine physical holding" when he stopped breathing. What I would like to see is 'Tanner's Law' be passed to ban executive director of the National Association Cart Decker, the use of lethal prone restraints of Protection and Advocacy Systems on children," Karen Wilson said. Under current law, children can

risk, more so than adults ... and

use," Stine said.

been injured."

there have been numerous deaths

and serious injuries related to its

Ourt Decker, executive director

be subjected to mechanical restraints, such as a straitjacket, or She and her husband, Robert, Wilson said. physical force, said Laurel Stine, hoped their only child would be director of federal relations with ready to come home in May 2001. the Bazelon Center for Mental Then something went wrong. Health Law, a Washington, D.C.-"Tanner didn't have to die that based advocacy group for people day," Karen Wilson said. Since Tanner's death, the "For years, kids with psychiatric disorders have been most at

Wilsons have been telling their other licensed prac son's story, advocating for a ban also is a time limiton the use of prone restraint. for youths 18 to "What I'm trying to do now is those 9 to 17 and make a positive impact out of this under 9.

dards took effect at federal

· Restraint and sech

· Restraint or se

+ A doctor

"There's b

, but we fin

Tanner

them or

Decker said

ple, unfor

pening in

the count

name of

ing him

be used only to ensure t

the resident or others

emergency situation.

be ordered only by

ed psychiatric residential

for children:

SATURDAY. JUNE 12, 2004, PAGE B6

whole tragedy that this never has to happen to another family tioner must see of the National Association of again," she said. 'There should be than 1 hour at and Advocacy another way to try take care of seclusion is ini these children without risking their

Gerard of Iowa continues to "It's hard to tell because it's not Tives." restrain children, said Jim something that people will tell you D'Angelo, president and CEO of about," he said. "Often, you find Nexus, the parent company. out about it after someone has "We continue to comply with all licensing and federal require-

Tanner had Asperger's regarding physical Syndrome, a high-functioning restraints," he said in a statement. autism characterized by social iso-He declined further comment. lation and repetitive behavior. He In 2001, new restraint stanmoved to Gerard of Iowa when he was 10 and made progress, Karen



Parents ask why runaway who died wasn't stopped Cedar Rapids, Ia. - A 15-yearold boy who died after falling into the Cedar River in May should have been restrained because he posed a danger to himself, his

Russell Jankowski had run away from Tanager Place --- the private home for children with social or psychological problems that housed him - several times in the weeks before his death.

He ran away for the last time on May 29. His body was found a week later in the Cedar River. Police believe he jumped from a Cedar

Russell's parents, Richard and Carol Menadue of Dubuque, question why Tanager Place staff didn't

Police records show Russell was a threat to himself and others before he left, and should have been

Des Morine Registor

restrained, Richard Menadue said. Tanager Place staff use physical restraints only in emergencies "that endanger the physical safety of the resident or others," said George Estle, chief executive of-

A report indicated that Russell became upset after a confrontation with another person and left his cottage. Staff members followed him out but he tried to hit, kick and throw things at them when they tried to return him to the home. Menadue said the staff members should have restrained the boy because his violence indicated he

was a danger.

Estle declined to comment on the Jankowski case specifically. He said every case is different, and it comes down to a judgment call.

Sunday, July 11, 2004 Page 5B

"It depends on the situation," Estle said. "Some kids you might be better off to avoid an escalation."

He explained that if staff intervenes with some children, somebody could get hurt.

A lawsuit has been filed against the home by Iowa Protection and Advocacy Services Inc., an agency that looks out for the rights of mentally disabled people.

According to the lawsuit, Tanager Place officials have refused to let Iowa Protection and Advocacy investigators interview Russell's roommates and other residents.

STRONG ADVOCACY CONTINUES!

<u>H.R. 927</u>

The Keeping All Students Safe Act

The bill in the House has been re-introduced; no action and none likely.

<u>Some states</u> - policy activity.

Massachusetts, Virginia & Washington , Nebraska – recent examples

How Safe Is The Schoolhouse

JESSICA BUTLER. UPDATED JULY 25, 2015 An updated guide to state restraint and seclusion laws, regulations, rules and policies in effect as of July 25, 2015; http://www.autocom.org/pdf/HowSafeSchoolhouse.pdf

ESSA - Every Student Succeeds Act

"(1) DESCRIPTIONS .—Each State plan shall describe—...."(C) how the State educational agency will support local educational agencies receiving assistance under this part to improve school conditions for student learning, including through reducing— "(i) incidences of bullying and harassment; "(ii) the overuse of discipline practices that remove students from the classroom; and "(iii) the use of **aversive behavioral interventions** that compromise student health and safety;" p. 41-42 of pdf

Two previous studies of the content of crisis intervention programs

- Farrell and Cubit (2005) covered content of aggression management training programs intended for nurses and others in mental health settings.
- Farrell and Cubit compared and contrasted how 28 programs train diverse components, such as, levels of risk, communication, physical restraint, seclusion, debriefing, etc.
- Conclusion: Most programs included information on personal safety for staff and clients, and recommended refresher courses. However they did not discuss psychological costs. Only 7 trained restraint, and only 1 discussed the risks of restraints.

- Couvillon, Peterson, Ryan,
 Scheuermann, and Stegall (2010), surveyed similar content topics for training delivered to schools.
- The study found that the average range basic training length was 12 to 16 hours, but varied greatly, and varied based on level of training.
- They also found substantial variation in the emphasis put on major topics of training (e.g., conflict de-escalation versus restraint procedures).

Purposes the of present study

- Need for Couvillon et al. (2010) Update in context of:
- Policy changes
- Increased safety concerns
- To also address seclusion
- Highlight major similarities and differences
- Address lack of consensus for content & focus
- Aid consumers on purchasing decisions



The Present Study

Questionnaire

- The Couvillon et al. questionnaire was obtained, expanded and organized into 10 content sections or topics.
- Questions were refined with a mix of both closed and open ended responses.
- When completed it included 99 questions
- Options created for electronic (Qualtrics), hard copy, or telephone interview completion.

Training Vendors

- Effort to identify all current training vendors providing training to schools through Internet searches and nominations.
- Only those providing training on restraints were included.
- 32 Initially identified, but 7 were no longer in business
- Of the remaining 25, 6 declined or did not respond, two did not complete the questionnaire.
- Result was data from 17 vendors- 68% of total.
- Owner or lead trainer was contacted and asked to complete the questionnaire.
- Once completed the data was sent back to the vendor for verification.

17 Crisis Intervention Training Programs	Organization Name	Website
Calm Every Storm, Crisis Intervention Training	Crisis Consultant Group, LLC.	crisisconsultantgroup.com
Management of Aggressive Behavior (MOAB®)	MOAB® Training International, Inc.	moabtraining.com
Nonviolent Crisis Intervention® Program	Crisis Prevention Institute	crisisprevention.com
Oregon Intervention System (OIS)	Alternative Service, Inc Oregon	ois.asioregon.org
РМТ	PMT Associates, Inc.	pmtassociates.net
Pro-ACT®	Pro-ACT, Inc.	proacttraining.com
Professional Crisis Management (PCM)	Professional Crisis Management Association	pcma.com
Response	Response Training Program LLC	responsetrainings.com
RIGHT RESPONSE	Service Alternatives Training Institute	rightresponse.org
Safe and Positive Approaches®	Devereux	devereux.org
Safe Crisis Management® (SCM)	JKM Training Incorporated	jkmtraining.com
Safe Prevention Principle and Techniques	JIREH Training and Consulting LLC	jirehtraining.com
Safety-Care™	QBS, Inc.	qbscompanies.com
Satori Alternatives to Managing Aggression (SAMA)	Satori Learning Designs, Inc.	satorilearning.com
The Mandt System®	The Mandt System, Inc.	mandtsystem.com
Therapeutic Aggression Control Techniques (TACT2)	SBP Consulting, Inc.	tact2.com
Therapeutic Crisis Intervention (TCI)	Residential Child Care Project, Cornell Univ.	rccp.cornell.edu/tcimainpage.html

Training content by 8 global components*

Respondents were asked for % of training allocated to each

- General information and definitions
- Dangers and Risks
- Crisis De-escalation procedures
- Restraint procedures
- Procedures for monitoring
- Debriefing and follow up
- Seclusion
- Other topic areas

* Interpretations may vary based on differing terminology or understandings; use only for gross comparisons

Allocation of resources across general topics

	Total Basic	General	Dangers	Crisis	Restraint	Monitoring	Debriefing	Seclusion	Other	Total
	Training	Information/	& Risks	De-escalation	Procedures	Procedures	& Follow-up	%	%	%
Training Program Name	Time	Definitions %	%	%	%	%	%			
Calm Every Storm	16 hrs	5	5	55	15	5	5	5	5	100
МОАВ	6-8 hrs	20	15	20	20	10	5	5	5	100
Nonviolent Crisis										
Intervention® program	14 hrs	20	5	35	25	5	10	0	0	100
0IS	12 hrs	15	10	25	15	2	2	2	29	100
РМТ	8 hrs	15	10	40	20	5	5	5	0	100
Pro-ACT®	20 hrs	5	4	60	8	7.5	7.5	3	5	100
Professional Crisis										
Management	14 hrs	10	5	30	50	0	5	0	0	100
Response	12 hrs	4	6	58	12	4	4	0	12	100
RIGHT RESPONSE	5-14 hrs	2	2	31	30	5	5	0	25	100
Safe & Positive Approaches®	14 hrs	5	7	34	18	3.5	3.5	0	29	100
Safe Crisis Management	18 hrs	5	5	45	30	5	10	0	0	100
Safe Prevention Principles										
and Techniques	16-20 hrs	10	12	38	15	5	15	5	0	100
Safety-Care	12 hrs	5	5	25	20	5	5	0	35	100
SAMA	16 hrs	1	2	40	20	1	1	0	35	100
The Mandt System®	19 hrs	7	8	58	12	7	7	1	0	100
TACT2	18-20 hrs	10	2.5	50	30	2.5	2.5	2.5	0	100
TCI	28-32 hrs	5	5	50	25	5	10	0	0	100

Average Allocation Across Training Programs



Pie charts of <u>all</u> of the vendor training programs are provided to illustrate variations in time allocations across all eight topics. We pick a few as examples in discussing content topics.

Selected topics to discuss today:

- Seclusion and Other
- Crisis De-escalation procedures
- Restraint procedures
- Monitoring procedures
- De-briefing procedures

Seclusion

- Most training programs don't include components on seclusion
 - Only 8 discuss & 4 train
- When included in basic training, no program spent more than 5% of overall time on seclusion; range 1-5%
- When comparing allocations of time this may explain some variation.



"Other" Topics

- **Component interpretations vary**
- Account for unique training aspects
- Many adaptions, extensions, or combinations of other components
- <u>Topics included</u>: protection techniques, incident prevention, mental health, trauma, relationships, leverage, and deflection and release techniques, etc.





Crisis De-escalation Procedures

THE CONFLICT CYCLE



Figure 2.2 Unbroken, the Conflict Cycle Spirals into Crisis



- On average, biggest emphasis across programs
- 2/3 of the programs spend the most time on crisis de-escalation
- Recognize signs of agitation
- Identify and manage antecedents
- Assess contributing factors





Types of Restraint Procedures

- Due to heightened risk, it takes a certain amount of time to teach physical holds adequately
- Programs moving towards using "holds" versus "restraint" for political correctness
- Programs coin terms and have special names for holds, spend time teaching this terminology
- Some populations may need more focus on restraint
- Many programs have moved away from prone (face down) or supine (face up) holds

These images are for illustration. They may or may not represent good practice. Most programs which continue to use types of prone or supine restraints have adjusted them to increase their safety.







Training Related to Restraint Procedures

- The % of overall time allocated to training on holds ranged from 8% to 50%
- Most programs dedicate between 12% -25% of their time to restraint procedures; the mean was 21%
- The number of different types of holds trained ranged from 2 to 27
- Specific Types of holds:
- 4 of the 17 programs trained <u>basket holds</u>, 23.5%
- 8 of the 17 programs trained prone restraints, 47%
- 9 of the 17 programs trained <u>supine holds</u>, 53%

Restraint Procedures Taught

Training Program Name	Types of Restraints (#)	Physical Escorts	Basket Hold Restraint	Prone Floor Restraint	Supine Floor Restraint
Calm Every Storm	3	Yes	No	No	No
MOAB	20	Yes	Yes	Yes	Yes
Nonviolent Crisis Intervention® program	8	Yes	No	No	No
OIS	2	Yes	No	No	No
PMT	10	Yes	Yes	No	Yes
Pro-ACT®	5	Yes	No	Yes	Yes
Professional Crisis Management	25	Yes	No	Yes	Yes
Response	2	No	No	No	No
RIGHT RESPONSE	27	Yes	No	Yes	No
Safe & Positive Approaches®	12	Yes	No	No	Yes
Safe Crisis Management	15	Yes	No	Yes	Yes
Safe Prevention Principles and Techniques	8	Yes	No	Yes	
Safety-Care	7	Yes	No	Yes	Yes
SAMA	6	Yes	Yes	No	No
The Mandt System®	4	Yes	No	No	No
TACT2	4	Yes	Yes	No	Yes
Therapeutic Crisis Intervention	5	No	No	Yes	Yes

Professional Crisis Management



Nonviolent Crisis Intervention





Monitoring

- All teach techniques for monitoring a student's physical and emotional state
- All instruct how to identify signs of physical distress.
- Crucial to actively monitor the breathing rates of students placed in a restraint
- 14 programs actively teach participants to monitor breathing rate
- On average, relatively less time is spent on monitoring





De-Briefing



- Physical restraint
 procedures can result in emotional distress for all involved
- Majority of the programs programs teach participants how to debrief or follow up
- May include: assessing emotional state, problem solving, & documentation

Safe Prevention Principles & Techniques





Certification/lengths of training

All certify

- Certification takes on 18 hours on average for basic training ; range = 12 - 28
- Re-certification or annual update; on average 7 hours; range = 3 – 20 hours
- Training of trainer; varied requirements
- Related experience
- Career in related field
- Related degree, etc.

Conclusions

- Reminder that these are gross estimates & may be more complicated than they appear
- Training is evolving and will continue to evolve
- Policy is impacting training
- General movement away from more extreme holds or ones that have caused most danger (e.g. use of prone & supine have decreased)
- Larger programs accommodate/alter their content for different populations/audience/organizations
- A lot of the training is pretty similar but with different names Matter of terminology – coining terms and time is spent learning those words, and also political correctness terminology (now using holds)

A Consumers Guide:

- Identify your purpose
- Identify target personnel for training
- Identify population & setting of clients/students serving
- Identify length of time required for certification for that vendor
- Choose a training program based on the emphases which meets your needs
- We did not examine or compare costs
- Consider whether special tailoring is desired (add components on seclusion, etc.)
- Consider whether a trainer of trainer model is appropriate
- Consider whether you need just non-physical training

Research Collaborators

Elisabeth Kane University of Nebraska-Lincoln elisabethjkane@gmail.com ■ James Hogan University of Washington Reece L. Peterson, Ph.D. University of Nebraska-Lincoln rpeterson1@unl.edu ■ Joseph M. Ryan, Ph.D. Clemson University Michael Couvillon, Ph.D. Drake University Brenda Scheuermann, Ph.D. Texas State University, San Marcos



http://k12engagement.unl.edu/study-crisis-intervention-training-programs

Calm Every Storm



PMT



Right Response



Response





Safe & Positive Approaches



Therapeutic Crisis Intervention (TCI)

Seclusion 0%

Restraint Procedures 25%

Debriefing & Follow-up Dangers & 10% Geiseral Monitoring Information Definitions **Procedures** 5% 5% Crisis Deescalation 50%

http://k12engagement.unl.edu/study-crisis-intervention-training-programs

QUESTIONS? DISCUSSION?

THE END